

HYGIENE

Panamatic Top-Loading Washer Disinfectors



infection control

DDC
D O L P H I N

WRAS
APPROVED
PRODUCT

Panamatic OPTIMA 2

Processing two bedpans and two bottles at a time, the Panamatic Optima 2 will help you clear workloads quickly and effectively, saving time and cutting costs.




Standard Features

- Two year warranty
- Disinfection to HTM2030
- Thermocouple entry port
- Automatic lid
- Drain blockage cut-out
- Digital temperature display
- Integral steam generator
- Integral venting condenser

Quick Check

- Fracture pan 2
- Vector pan 2
- Perfection pan 2
- Selina slipper pan 2
- Square commode pot 1
- Urine bottle 2
- Catheter jug 2
- Wash bowl 1
- Bucket 1
- Toilet seat raiser 1



see pages 4 & 5 for accessories

Panamatic OPTIMA 3

Standard Features

- Two year warranty
- Disinfection to HTM2030
- Thermocouple entry port
- Automatic lid
- Drain blockage cut-out
- Digital temperature display
- Integral steam generator
- Integral venting condenser



see pages 4 & 5 for accessories

In busy sluiceroom situations, the Panamatic Optima 3 excels. Its large wash chamber accommodates three bedpans and three bottles each cycle. This exceptional capacity is concealed within a surprisingly compact frame.



Quick Check

Fracture pan	3
Vector pan	3
Perfection pan	2
Selina slipper pan	3
Square commode pot	1
Urine bottle	3
Catheter jug	3
Wash bowl	2
Bucket	1
Toilet seat raiser	1

Accessories

1 Detergent/Descaler System

Comprising:

- A pump for injecting detergent/descaler into the wash
- An initial supply of detergent/descaler chemicals
- A choice of wall-mounted lockable basket or steel cabinet for storing your detergent safely

1



2 Multipurpose Utensil Rack

A special wash chamber rack is available for processing small items such as kidney bowls and other similar articles

2



3 Stainless Steel Wall Racks

Wall racks complete with integral drip trays allow utensils to be conveniently stored

3



4 Installation Kit

A kit consisting of selected plumbing and electrical materials is available to facilitate installation

4



Accessories

5



Vector bedpan with lid
Size 355mm x 308mm x 108mm



Selina Super slipper pan with lid
Size 335mm x 245mm



Favorit Fracture-Pan with lid
Size 449mm x 309mm x 99mm

5

Bedpans, Bottles and other Holloware



Topper male bottle with lid
Size 1200ml



Cygnet female bottle
Size 1000ml



Traditional round commode bucket with lid
Size 259mm x 259mm x 144mm



Square commode pot
Size 335mm x 335mm x 155mm

6

Modification for 9 Bottles

The Optima 2 can be modified easily to wash up to 9 urine bottles or jugs at a time.

This makes it particularly suitable for areas such as urology wards.

6



TECH

Technical Information

Installation

You can arrange installation yourself, or if you prefer, we will install the equipment for you.

Electrical supply	single phase, 240V / 50Hz, 13amp fused neon isolating switch
Water supply	15mm (½") hot and cold water supply. Panamatics incorporate a type A air gap and are suitable for direct connection to the mains water supply.
Overflow	28mm gravity fall
Soil connection	82mm (3") P or S trap connecting to a 110mm (4") soil pipe. Drain connection can be made to the rear, left or right hand side or through the floor. Special drain cut-outs have been provided for this purpose.

Performance

Cyclotime	approximately 8 minutes
Disinfection	a minimum of 80°C for one minute as required by all current British Standards (adjustable should Standards change in the future)

All services are accessible from the front allowing other appliances to be sited on either side. Full instructions are available in a dedicated installation booklet. Site surveys can be carried out throughout the UK.

After Sales Service

Once your Panamatic has been installed, our service engineers will call to commission and ensure that each machine conforms to the exacting standards demanded by our quality systems. We will train your staff how to use your Panamatic and look after it properly. Technical support is provided by our own directly employed, specialist and highly skilled engineers.

Warranties

Two year parts & labour warranty - terms and conditions apply.


OTHER PRODUCTS

Other products

Hygenex Stainless Steel Sanitaryware



A wide range of stainless steel products including manual sluices and sloppers, sinks, janitorial units and wash hand basins (all manufactured to HTM64 if required). Ask for our brochure for more information.



Product Range

- Panamatic Top-Loading Washer Disinfectors
- Panamatic Front-Loading Washer Disinfectors
- Hygenex Stainless Steel Sanitaryware
- Incomatic Pad Macerators
- Disposable Bedpan Macerators
- Ancillary Sluiceroom Equipment
- Sluice Servicing



DDC Dolphin
The Fulcrum
Vantage Way
Poole, BH12 4NU

Telephone: +44 (0) 1202 731555
Facsimile: +44 (0) 1202 731666
Email: sales@sluice.co.uk
Web: www.sluice.co.uk



Certificate No: 1161/96